



Part Number : [1300130255](#)

Product Description : Mini-Change Receptacle  
3 Pole, Male (Straight) to Female (Straight)  
Pass-Thru, 0.049m (1.94") Length

Series Number : 130013

Status : Active

Product Category : Circular Industrial  
Connectors

Engineering Number : 1R3030



---

## Documents & Resources


### Drawings

[1300130255\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

## Part Details

### General

Status	Active
Category	Circular Industrial Connectors
Series	130013
Description	Mini-Change Receptacle 3 Pole, Male (Straight) to Female (Straight) Pass-Thru, 0.049m (1.94") Length
IP Rating	IP67
Product Name	Mini-Change
Type	Bulkhead Feed-Through
UPC	78678853239

### Agency

CSA	LR6837
UL	E152210

### Electrical

Current - Maximum per Contact	13.0A
Voltage - Maximum	600V

### Physical

Coupling Type	Internal Thread
Gender	Male-Female
Keyway	Single
Length	0.049m
Material - Component	Nickel-plated Brass
Mounting Thread Size	7/8" - 16 UN-2A
Net Weight	120.450/g
Orientation	Straight
Panel Mount	Front
Poles	3

Temperature Range - Operating	-20° to +60°C
Wire/Cable Type	N/A
Wire Size (AWG)	N/A

---

This document was generated on Mar 27, 2025