



Part Number : [1301410031](#)

Product Description : Super-Safeway Connector, 2 Pole/3 Wire, NEMA 5-15, 125V

Series Number : 130141

Status : Active

Product Category : Wiring Devices

Engineering Number : 1547



---

## Documents & Resources


### Drawings

[1301410031\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |   |
|--------------------|---|
| GADSL/IMDS         | Not Relevant  |
| China RoHS         |  |
| EU ELV             | Not Reviewed per 2000/53/EC   |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21  |
| REACH SVHC         | Contains Lead per ED/71/2019 (16 July 2019)   |
| EU RoHS            | Compliant with Exemption 6(c) per EU 2015/863   |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

## Part Details

### General

|                    |   |
|--------------------|---|
| Status             | Active  |
| Category           | Wiring Devices  |
| Series             | 130141  |
| Description        | Super-Safeway Connector, 2 Pole/3 Wire, NEMA 5-15, 125V |
| IP Rating          | N/A   |
| NEMA Configuration | NEMA 5-15   |
| Product Name       | Super-Safeway   |
| Specialty          | N/A   |
| Type               | Connector   |
| UPC                | 78678870302   |

### Agency

|     |        |
|-----|--------|
| CSA | LR6837 |
| UL  | E10176 |

### Electrical

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 15.0A |
| GFCI                          | No    |
| Voltage - Maximum             | 125V  |

### Physical

|                   |           |
|-------------------|-----------|
| Cord Type         | N/A       |
| Flange            | No        |
| Flip Lid          | No        |
| Gender            | Female    |
| Length            | N/A       |
| Lighted Connector | No        |
| Locking Blade     | No        |
| Net Weight        | 113.398/g |

|                 |               |
|-----------------|---------------|
| Poles           | 2-pole/3-wire |
| Receptacle Type | Single        |

---

---

This document was generated on Mar 27, 2025